

### Erosion and Sediment Control (ESC) Permitting and Inspection Requirements for Utility Construction in Overland Park

Requirements	Type of Project				
	Sanitary Sewers for land development projects	Other Utilities for land development projects	Utility funded projects (non-land development) < 1000 linear feet disturbed	Utility funded projects (non-land development) >= 1000 linear feet disturbed	Relocations for City built infrastructure projects
ROW Permit Required if Work in Public Street ROW	Yes	Yes	Yes	Yes	No
Land Disturbance Permit Required	Yes (1)	No	No	Yes (3)	No
ESC Surety Required	Yes	No	No	Yes (5)	No
Site Specific ESC Plan Required	Yes	No (2)	No	Yes (5)	No (4)
Erosion Control must be provided in field	Yes	Yes	Yes	Yes	Yes
Primary City Inspections Contact:	Engineering Services	Engineering Services	Public Works ROW Management	Public Works ROW Management	Public Works Project Manager

**Notes:**

- (1) Unless LDP is already in place for overall development. LDP issued to the DEVELOPER/LANDOWNER
- (2) Contractor must comply with ESC plan for overall development. Failure to comply may result in loss of Surety on LDP and suspension of ROW permit.
- (3) LDP issued to the UTILITY. Contractor can obtain LDP for Utility with LDP UTILITY AUTHORIZATION.
- (4) If the utility relocation work will disturb greater than 1 acre, exclusive of the City project, a site specific ESC plan is required.
- (5) Unless a "General Permit" has been issued to the Utility Company in lieu of a surety and site specific ESC plan covering all utility work in a given year.

**Inspections:**

City Inspection contacts: 895-6220 (Engineering Services) 895-6189 (Public Works ROW Management)

Contractor must schedule Land Disturbance Inspections :

1. Initial Site Inspection AFTER perimeter Erosion and Sediment Control Installed and prior to grading work.
2. Final Stabilization Inspection required when Permanent Vegetation has been established.

Permit Holder or Contractor must perform self-inspections:

1. Monthly routine inspections.
2. After every rain event of 1/2" or more in 24 hour period.
3. Records must be kept of self inspections. Subject to City review when requested.